


Our Case Number: ABP-310286-21



**An
Bord
Pleanála**

Bernadette Leahy
Gurrane
Ballyhea
Co. Cork
P56 KP95

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear Madam,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

Teil
Glaio Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737250

AA03

Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 24. Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File	ABP Contents Page	Updated to reflect correct dates.

A detailed geometric diagram of a Gothic letter 'P'. The letter is constructed from several circular arcs and straight lines. Labels include 'a' through 'h' for various points and segments, and 'c' for a specific curve. The diagram shows the intricate geometry of the letter's form, including the bowl, the stem, and the terminal.

An
Bord
Pleanála

64 Marlborough Street
Dublin 1
D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-873 7250

AA03

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie


64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 24, Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File	ABP Contents Page	Updated to reflect correct dates.

Our Case Number: ABP-310286-21



**An
Bord
Pleanála**

Maurice O'Riordan
Castleharrison
Ballyhea
Charleville
Co. Cork

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear Sir,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

Teil
Glaao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Teil
Glaó Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737250

AA03

Teil
Glaio Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie


64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublín 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 24. Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File	ABP Contents Page	Updated to reflect correct dates.

Our Case Number: ABP-310286-21



**An
Bord
Pleanála**

Melissa Sihra – Mc Namara
4 Harmony Court
Harmony Avenue
Donnybrook
Dublin 4
D04 K2N3

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear Madam,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737250

AA03

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie


64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 24. Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File	ABP Contents Page	Updated to reflect correct dates.

Our Case Number: ABP-310286-21



**An
Bord
Pleanála**

Margaret McNamara-Sihra
Ballycosgry,
Chapel Cross
Ballyhea
Charleville
Co. Cork

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear Madam,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-873 7250

AA03

Teil
Glaio Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie


64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 24. Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File	ABP Contents Page	Updated to reflect correct dates.

Our Case Number: ABP-310286-21



**An
Bord
Pleanála**

Geraldine Egan
Castlewrixon
Ballyhea
Charleville
Co. Cork
P56 k034

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear Madam,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737250

AA03

Tell
Glaó Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie


64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files			
Document Location			File Name
An Bord Pleanála	Consultation File		Number 24, Letter 5.8.20 & Meeting Minutes 4.8.20
An Bord Pleanála	Consultation File		ABP Contents Page
			Issue
			Updated to reflect correct dates
			Updated to reflect correct dates.

Our Case Number: ABP-310286-21



An
Bord
Pleanála

Maria O'Hanlon
The Board of Management
Ballyhea National School
Charleville
Co. Cork

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear madam,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-873 7250

AA03

Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie


64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 24. Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File	ABP Contents Page	Updated to reflect correct dates.

Our Case Number: ABP-310286-21



An
Bord
Pleanála

Jerome O'Keeffe
Castlewrixon
Ballyhea
Co. Cork

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear Sir,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737250

AA03

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (II)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files				
Document Location			File Name	Issue
An Bord Pleanála Consultation File			Number 24. Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File			ABP Contents Page	Updated to reflect correct dates.



Maria McInerney – O'Hanlan
Loughlea
Buttevant
Co. Cork

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear Madam,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737250

AA03

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie


64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report ALL Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 24. Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File	ABP Contents Page	Updated to reflect correct dates.

Our Case Number: ABP-310286-21



**An
Bord
Pleanála**

Michael McDermot
Castlewrixon
Ballyhea
Charleville
Co. Cork

Date: 26th April 2022

Re: Railway works and all works necessary to eliminate and, where necessary, upgrade seven numbered level crossings and carry out all associated and ancillary works along a 24-kilometre section of the Dublin to Cork Railway Line.
Fantstown, Thomastown, Ballyhay, Newtown, Ballycoskery (Ballyhea Village), Shinanagh and Buttevant, Co. Cork and Co. Limerick.

Dear Sir,

I have been asked by the Board to reply to your letter dated the 9th April, 2022.

In response to your query on the matter, please find attached herein a list of the plans and particulars which were either corrupted or could not be accessed in relation to the railway order application which was received by the Board on the 20th May 2021.

For your general information, existing parties and individuals who made a submission on the case do not need to make a repeat submission on this matter if they do not wish to and please be advised generally that all original submissions made previously will stand and will be considered by the Board in its consideration and determination of the case.

The last date for submissions/observations on this matter is **no later than 5:30p.m. on the 23rd May 2022.**

Finally, in relation to your reference to an Inspector's report on this case dated 20th May, 2020, I am not aware of any such report and I would also point out that this particular application was received by the Board in May 2021 (as referenced above). As a general point, I would also advise that an Inspector's report is never available until after the Board has made a decision on a case, so your request can not be acceded to in any event.

I trust that this is of assistance.

Teil
Glaio Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

I trust that this is of assistance.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-873 7250

AA03

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Corrupted Files/Files that didn't open on ABP website		
Document Location	Document Name	Issue
EIAR	Appendix 13B Landscape Montages	Unable to open on Project and ABP Websites
EIAR	Appendix 13B Landscape Montage Low Res	Unable to open on Project and ABP Websites
EIAR	Figure 8M Buttevant Construction Sequence Plan	This figure eventually opened but took quite some time to do so. The file was fixed to help it open much more quickly.
EIAR	Appendix 3A GI Final Factual Report All Sites	Unable to open on Project and ABP Websites
Railway Order	Draft Cork Line Level Crossings Railway Order	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 1 – Non Technical Summary (NTS)	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 of the EIAR Figures titled 2A – 2D Fantstown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
EIAR	Volume 4 Figures 3A-3R Thomastown	Could open on Project and ABP Websites but ABP stated some issues in opening on home Laptops. The file was double checked for any errors.
Missing Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 18. EIAR Screening & Scoping Report 2	A duplication was found of the first Scoping/Screening Report (item No.10 of the ABP file replicated at No.18) and the second Scoping Screening Report was missing.
Railway Order	List of Railway Order Application Figures	Found to be missing from all hard copy display locations.
Railway Order	XC187 Fantstown Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC201 Thomastown Plan 1A – 4a (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC209 Ballyhay Plan 1A – 4A	Found to be missing from ABP hard copy display only.
Railway Order	XC211 Newtown Plan 1A – 4A(ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC212 Ballycoskery Plan 1A – 4A (ii)	Found to be missing from ABP hard copy display only.
Railway Order	XC215 Shinanagh Plan 1A – 4A (i-v);	Found to be missing from ABP hard copy display only.
Railway Order	XC219 Buttevant Plan 1A – 4A (ii)	
EIAR	List of Volume 4 Figures and EIAR Chapter Figures	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 7 Biodiversity Figures 7.1 – 7.10	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 8, Soils, Geology & Hydro Figures 8.1 – 8.4	Found to be missing from all hard copy display locations
EIAR	Volume 4 EIAR Chapter 10 Noise & Vibration Figures 10.1 – 10.6	Found to be missing from all hard copy display locations
EIAR	Volume 3 EIAR Chapter 12, Cultural Heritage Figures 12.1 – 12.9	Found to be missing from all hard copy display locations and digital folder
EIAR	Volume 4 EIAR Chapter 17 Cumulative Impacts Figures 17.1	Found to be missing from all hard copy display locations
EIAR	Volume 5 Appendices List	Found to be missing from all hard copy display locations
EIAR	Appendix 1H – Public Consultation Report & XC211 Newtown Further Consultation Report Merged	Appendix 1H was supposed to include both the initial public consultation exercise report and the second public consultation in regard to XC211 Newtown. It was found that the second public consultation exercise report was missing.
EIAR	Appendix 3A GI Final Factual Report All Sites	It was found that some sections were missing from Cork and Limerick hard copy display
EIAR	Appendix 10A Calibration Certificates	It was found that some pages were missing from Cork and Limerick hard copy display

Updated Files		
Document Location	File Name	Issue
An Bord Pleanála Consultation File	Number 24. Letter 5.8.20 & Meeting Minutes 4.8.20	Updated to reflect correct dates
An Bord Pleanála Consultation File	ABP Contents Page	Updated to reflect correct dates.